

Mental Health 101





Who Am I?



Jack Veitch

Manager of Community Engagement and Education

Canadian Mental Health Association HKPR

CMHAEducation



Purpose

- To learn terminology surrounding mental health and wellness.
- To learn specific illnesses including common symptoms and presentation.
- 50 To answer questions surrounding mental illness.
- We will <u>not</u> be learning the skills necessary to provide a formal diagnosis.



Stigma © © ©



Historical Stigma

Stigma is a Greek word that in its origins referred to a type of marking or tattoo that was cut or burned into the skin of criminals, slaves, or traitors in order to visibly identify them as blemished or morally polluted persons. These individuals were to be avoided or shunned, particularly in public places.




The Stigma of Mental Illness

- » People with a mental illness are dangerous.
- Mental illness only affects the impoverished.
- » People living with a mental illness are responsible for it.
- People are defined by their mental illness.



Language

Mental illness has stigma built into the language we can



Canadian Mental Health Association

Facts

 \mathcal{B}



Quick Facts

- 1 in 5 people in Canada will experience a mental illness in a given year.
- 50 75% of mental illnesses appear before the age of 24.
- 50 The average age for onset of Anxiety Disorders in Canada is 11.
- Almost, 1 in 10 Canadians will experience depression at some point in their life. Of those, 50% of those will experience more than one episode.
- Almost one half (49%) of those who feel they have suffered from depression or anxiety have never gone to see a doctor about this problem.



Language


Mental Health Problems

Mental Illness

Common struggles and difficulties that effect everyone from time to time.

A diagnosable condition that usually requires treatment.





Depressive Disorders






Depression

Happy

Normal Range



Depression

Happy

Normal Range



Depression

- 50 The mood persists for at least two weeks without lifting.
- 50 The feeling deepens over time.
- Starts to interfere and prevent the individual from conducting everyday life.
- Can manifest with physical aches and pains.



Symptoms

- Feeling worthless, helpless or hopeless
- Sleeping more or less than usual
- Eating more or less than usual
- Difficulty concentrating or making difficult decisions
- Loss of interest in activities
- Avoiding other people
- Overwhelming feelings of sadness or grief
- Loss of energy
- Thoughts of death or suicide
- Persistent Depressive Disorder (Dysthymia)



Anxiety Disorders





Anxiety Disorder


Anxiety disorders include disorders that share features of excessive fear and anxiety related to behavioral disturbances.

Fear is the emotional response to real or perceived imminent threat, anxiety is the anticipation of future threat.

~DSM-V




Normal Signaling





Anxiety





Symptoms

- Heart beats very quickly
- Meadache
- Dizziness
- Sore stomach
- Excessive worrying
- Nausea
- Shortness of breath
- Feeling of terror



Treatment Options/Support Services

Treatment Options

- Medication
- Counseling/Therapy
- Family and Peer Support
- Early Intervention
- Employment and Academic Support
- Alternative and Holistic Supports
- Lifestyle:
- Regular Sleep
- Healthy Eating
- Regular exercise
- Hobbies / Interests
- Sense of Purpose



Questions/Comments/Knowledge



